

A Comment on the Paper, “Cosmic Background Radiation”

B.G. Sidharth

G.P. Birla Observatory & Astronomical Research Centre
B.M. Birla Science Centre, Adarsh Nagar, Hyderabad - 500 063 (India)

In the paper [1] and its updated version [2] it was shown that a collection of Photons with nearly the same energy or frequency exhibit a condensation type of behaviour. To see what this means, our starting point is the formula for the average occupation number for photons of momentum \vec{k} for all polarizations [3]:

$$\langle n_{\vec{k}} \rangle = \frac{2}{e^{\beta\hbar\omega} - 1} \quad (1)$$

Let us specialize to a scenario in which all the photons have nearly the same energy so that we can write,

$$\langle n_{\vec{k}} \rangle = \langle n_{\vec{k}'} \rangle \delta(k - k'), \quad (2)$$

where $\langle n_{\vec{k}} \rangle$ is given by (1), and $k \equiv |\vec{k}|$. The total number of photons N , in the volume V being considered, can be obtained in the usual way,

$$N = \frac{V[k]}{(2\pi)^3} \int_0^\infty dk 4\pi k^2 \langle n_k \rangle \quad (3)$$

where V is large. Inserting (2) in (3) we get,

$$N = \frac{2V}{(2\pi)^3} 4\pi k'^2 [\epsilon^\Theta - 1]^{-1}[k], \Theta \equiv \beta\hbar\omega, \quad (4)$$

In the above, $[k] \equiv [L^{-1}]$ is a dimensionality constant, introduced to compensate the loss of a factor k in the integral (3), owing to the δ -function in (2): That is, a volume integral in \vec{k} space is reduced to a surface integral on

the sphere $[\vec{k}] = k'$, due to our constraint that all photons have nearly the same energy.

We observe that, $\Theta = \hbar\omega/KT \approx 1$, since by (2), the photons have nearly the same energy $\hbar\omega$. We also introduce,

$$v = \frac{V}{N}, \lambda = \frac{2\pi c}{\omega} = \frac{2\pi}{k} \text{ and } z = \frac{\lambda^3}{v} \quad (5)$$

λ being the wavelength of the radiation. We now have from (4), using (5),

$$(e - 1) = \frac{vk'^2}{\pi^2}[k] = \frac{8\pi}{k'z}[k]$$

Using (5) we get:

$$z = \frac{8\pi}{k'(e - 1)} = \frac{4\pi}{(e - 1)}[k] \quad (6)$$

From (6) we conclude that, when

$$\lambda = \frac{e - 1}{4} = 0.4[L] \quad (7)$$

then,

$$z \approx 1 \quad (8)$$

or conversely. We are working in the cgs system, so that the units in (7) are *cm*. As pointed out, this could be further confirmed from other points of view.

We next observe that the author's 1997 cosmology used the ubiquitous zero point energy to deduce a model of an accelerating universe with a small cosmological constant (unlike in its previous 1960s version of Zeldovich and others) which lead to the famous cosmological constant problem [4].

At this time the ruling cosmological paradigm was exactly the opposite – a dark matter dominated decelerating universe [5, 6, 7]. It has also been known that the Zero Point Field leads to the Lamb shift [8, 9]. It is quite remarkable that radiations due to the Lamb shift have a frequency of around 1000 megacycles, which falls right within the microwave region to a few centimeters radiation. So there is a sea of microwave photons in the universe whose frequencies differ by small amounts. By the above argument these nearly mono energetic photons would condense to a value around 4 millimeters wavelength which is exactly the cosmic microwave background.

References

- [1] Sidharth, B.G. (2000). *Chaos, Solitons & Fractals* 11, 2000, pp.1471-1472.
- [2] Sidharth, B.G. and Valluri, S.R. (2015). *Int.J.Th.Phys* Vol.54(8), 2015, pp.2792-2797.
- [3] Huang, K. (1975). *Statistical Mechanics* (Wiley Eastern, New Delhi), pp.75ff.
- [4] Weinberg, S. (1979). *Phys.Rev.Lett.* 43, pp.1566.
- [5] Sidharth, B.G. (1999). *Proc. of the Eighth Marcell Grossmann Meeting on General Relativity (1997)* Piran, T. (ed.) (World Scientific, Singapore), pp.476–479.
- [6] Sidharth, B.G. (1998). *Int.J. of Mod.Phys.A* 13, (15), pp.2599ff.
- [7] Sidharth, B.G. (1998). *International Journal of Theoretical Physics* Vol.37, No.4, pp.1307–1312.
- [8] Bjorken, J.D. and Drell, S.D. (1964). *Relativistic Quantum Mechanics* (Mc-Graw Hill, New York), pp.39.
- [9] Itzykson, C. and Zuber, J. (1980). *Quantum-Field Theory* (Mc-Graw Hill, New York), pp.139.